

PHP Version 4.3.8

System	Linux mis.your-dns-servers.net 2.4.20-31.9smp #1 SMP Tue Apr 13 17:40:10 EDT 2004 i686
Build Date	Sep 19 2004 11:34:00
Configure Command	'./configure' '--with-apxs=/usr/local/apache/bin/apxs' '--with-xml' '--enable-bcmath' '--enable-calendar' '--enable-ftp' '--enable-magic-quotes' '--with-mysql=/usr' '--enable-discard-path' '--with-pear' '--enable-sockets' '--enable-track-vars' '--enable-versioning' '--with-zlib'
Server API	Apache
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/Zend/etc/php.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20021010
Debug Build	no
Thread Safety	disabled
Registered PHP Streams	php, http, ftp, compress.zlib

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v1.3.0, Copyright (c) 1998-2004 Zend Technologies with Zend Extension Manager v1.0.1, Copyright (c) 2003, by Zend Technologies with Zend Optimizer v2.5.1, Copyright (c) 1998-2004, by Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>

default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	error_log	error_log
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	2039	2039
expose_php	On	On
extension_dir	./	./
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/lib/php:/usr/local/lib/php	./usr/lib/php:/usr/local/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	30	30
max_input_time	-1	-1
open_basedir	/home/walshc76:/usr/lib/php:/usr/local/lib/php:/tmp	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	55M	55M
precision	14	14
register_argc_argv	On	On
register_globals	On	On
report_memleaks	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>

safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	Off	Off

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 5	disabled
Optimization Pass 9	disabled
Optimization Pass 10	disabled
Zend Loader	enabled
License Path	<i>no value</i>

apache

APACHE_INCLUDE	<i>no value</i>
APACHE_TARGET	<i>no value</i>
Apache Version	Apache/1.3.31 (Unix) mod_auth_passthrough/1.8 mod_log_bytes/1.2 mod_bwlimited/1.4 PHP/4.3.8 FrontPage/5.0.2.2634a mod_ssl/2.8.19 OpenSSL/0.9.7a
Apache Release	10331100
Apache API Version	19990320
Hostname:Port	www.bull-terrier.org.uk:80
User/Group	nobody(99)/99
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Server Root	/usr/local/apache
Loaded Modules	mod_auth_passthrough, mod_log_bytes, mod_bwlimited, mod_php4, mod_frontpage, mod_ssl, mod_setenvif, mod_so, mod_auth, mod_access, mod_rewrite, mod_alias, mod_userdir, mod_actions, mod_imap, mod_asis, mod_cgi, mod_dir, mod_autoindex, mod_include, mod_status, mod_negotiation, mod_mime, mod_log_config, mod_env,

	http_core
--	-----------

Directive	Local Value	Master Value
child_terminate	0	0
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
DOCUMENT_ROOT	/home/walshc76/public_html
HTTP_ACCEPT	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, appl application/vnd.ms-powerpoint, application/msword, */*
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	en-gb
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	cpg11d_data=YToyOntzOjI6IklEljtzOjMyOii4NDU3YTQ0YzQwOWUzNjlkZWVhMjU2NDM 3D; cpg11d_uid=1; cpg11d_pass=08b86c0df7b4e9fc0182912fbfb9dfc3; cplogin=yes; cp
HTTP_HOST	www.bull-terrier.org.uk
HTTP_USER_AGENT	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.:
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
REMOTE_ADDR	81.168.115.231
REMOTE_PORT	3024
SCRIPT_FILENAME	/home/walshc76/public_html/info.php
SERVER_ADDR	69.93.255.30
SERVER_ADMIN	webmaster@bull-terrier.org.uk
SERVER_NAME	www.bull-terrier.org.uk
SERVER_PORT	80
SERVER_SIGNATURE	<ADDRESS>Apache/1.3.31 Server at www.bull-terrier.org.uk Port 80</ADDRESS>
SERVER_SOFTWARE	Apache/1.3.31 (Unix) mod_auth_passthrough/1.8 mod_log_bytes/1.2 mod_bwlimited/1.4 I mod_ssl/2.8.19 OpenSSL/0.9.7a
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /info.php HTTP/1.1
Accept	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-ex application/vnd.ms-powerpoint, application/msword, */*
Accept-Encoding	gzip, deflate
Accept-Language	en-gb

Connection	Keep-Alive
Cookie	cpg11d_data=YToyOntzOjI6IklEljtzOjMyOiI4NDU3YTQ0YzQwOWUzNjlkZWVhMjU2NDMxNWlONjFIZCI7cz3D; cpg11d_uid=1; cpg11d_pass=08b86c0df7b4e9fc0182912fbfb9dfc3; cprelogin=yes; cpsession=closed
Host	www.bull-terrier.org.uk
User-Agent	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705; .NET CLR 1
HTTP Response Headers	
X-Powered-By	PHP/4.3.8
Keep-Alive	timeout=15, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

ftp

FTP support	enabled
--------------------	---------

mysql

MySQL Support	enabled
Active Persistent Links	1
Active Links	1
Client API version	4.0.18
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>

mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

overload

User-Space Object Overloading Support	enabled
---------------------------------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	4.5 01-December-2003

posix

Revision	\$Revision: 1.51.2.2 \$
----------	-------------------------

session

Session Support	enabled
Registered save handlers	files user

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	On	On

sockets

Sockets Support	enabled
------------------------	---------

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
EXPAT Version	1.95.6

zlib

ZLib Support	enabled
Compiled Version	1.1.4
Linked Version	1.1.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
CONSOLE	/dev/console
TERM	linux
INIT_VERSION	sysvinit-2.84
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
runlevel	3
RUNLEVEL	3
PWD	/
LANG	en_US.UTF-8
previous	N
PREVLEVEL	N
SHLVL	3
HOME	/
_	/usr/local/apache/bin/httpd

PHP Variables

Variable	Value
PHP_SELF	/info.php
_REQUEST["cpg11d_data"]	YToyOntzOjI6IklEljtzOjMyOiI4NDU3YTQ0YzQwOWUzNjlkZWVhMjU2NDMxNWlONjFl
_REQUEST["cpg11d_uid"]	1
_REQUEST["cpg11d_pass"]	08b86c0df7b4e9fc0182912fbfb9dfc3
_REQUEST["cpregister"]	yes
_REQUEST["cpsession"]	closed
_COOKIE["cpg11d_data"]	YToyOntzOjI6IklEljtzOjMyOiI4NDU3YTQ0YzQwOWUzNjlkZWVhMjU2NDMxNWlONjFl
_COOKIE["cpg11d_uid"]	1
_COOKIE["cpg11d_pass"]	08b86c0df7b4e9fc0182912fbfb9dfc3
_COOKIE["cpregister"]	yes
_COOKIE["cpsession"]	closed
_SERVER["DOCUMENT_ROOT"]	/home/walshc76/public_html
_SERVER["HTTP_ACCEPT"]	image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockwave-flash, application/vnd.ms-powerpoint, application/msword, */*
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-gb
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	cpg11d_data=YToyOntzOjI6IklEljtzOjMyOiI4NDU3YTQ0YzQwOWUzNjlkZWVhMjU2NDMxNWlONjFl; cpg11d_uid=1; cpg11d_pass=08b86c0df7b4e9fc0182912fbfb9dfc3; cprelogin=yes
_SERVER["HTTP_HOST"]	www.bull-terrier.org.uk
_SERVER["HTTP_USER_AGENT"]	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_SERVER["REMOTE_ADDR"]	81.168.115.231
_SERVER["REMOTE_PORT"]	3024
_SERVER	/home/walshc76/public_html/info.php

["SCRIPT_FILENAME"]	
_SERVER["SERVER_ADDR"]	69.93.255.30
_SERVER["SERVER_ADMIN"]	webmaster@bull-terrier.org.uk
_SERVER["SERVER_NAME"]	www.bull-terrier.org.uk
_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.31 Server at www.bull-terrier.org.uk Port 80</ADDRESS>
_SERVER["SERVER_SOFTWARE"]	Apache/1.3.31 (Unix) mod_auth_passthrough/1.8 mod_log_bytes/1.2 mod_bwlimited/mod_ssl/2.8.19 OpenSSL/0.9.7a
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/info.php
_SERVER["SCRIPT_NAME"]	/info.php
_SERVER["PATH_TRANSLATED"]	/home/walshc76/public_html/info.php
_SERVER["PHP_SELF"]	/info.php
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["CONSOLE"]	/dev/console
_ENV["TERM"]	linux
_ENV["INIT_VERSION"]	sysvinit-2.84
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_ENV["runlevel"]	3
_ENV["RUNLEVEL"]	3
_ENV["PWD"]	/
_ENV["LANG"]	en_US.UTF-8
_ENV["previous"]	N
_ENV["PREVLEVEL"]	N
_ENV["SHLVL"]	3
_ENV["HOME"]	/
ENV[""]	/usr/local/apache/bin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.